

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	629701	(password\$3 passphrase\$1 PIN) ((user\$2 client\$1 person\$3) near3 (code\$1 number\$1 pin password\$1 passphrase\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/30 08:51
L2	4117	l1 near6 (encrypt\$6 encipher\$9 cipher\$9 crypto cryptograph\$6)	USPAT; IBM_TDB	OR	OFF	2007/03/30 08:44
L3	3116	(user-specif\$5 user-base\$1 ((user\$2 client\$1 person\$3) near3 (specif\$5 accord\$4 particular\$2 match\$3 bas\$3 generat\$4 creat\$4 compos\$4))) near6 (encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6)	USPAT; IBM_TDB	OR	OFF	2007/03/30 08:53
L4	2205	l3 and l1	USPAT; IBM_TDB	OR	OFF	2007/03/30 08:39
L5	829	l2 and l4	USPAT; IBM_TDB	OR	OFF	2007/03/30 08:39
L6	557	l5 and (hash\$3 one-way (one near2 way near2 function\$1) sha\$2)	USPAT; IBM_TDB	OR	OFF	2007/03/30 08:43
L7	7391	(compar\$4 match\$4 verif\$9 list\$3 table\$1 database\$1) near6 (encrypt\$6 encipher\$9 cipher\$9 crypto cryptograph\$6)	USPAT; IBM_TDB	OR	OFF	2007/03/30 08:44
L8	3894	l1 near6 (decrypt\$6 decipher\$9 decod\$3)	USPAT; IBM_TDB	OR	OFF	2007/03/30 08:44
L9	412	l6 and l7	USPAT; IBM_TDB	OR	OFF	2007/03/30 08:44
L10	214	l8 and l9	USPAT; IBM_TDB	OR	OFF	2007/03/30 08:44
L11	160	l10 and hash\$3	USPAT; IBM_TDB	OR	OFF	2007/03/30 08:55
L12	125	l11 and (privilege\$1 role\$1 association\$1 rule\$1 (access\$3 near2 control\$1) permission\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/30 08:46
L13	64	l12 and administrator\$1	USPAT; IBM_TDB	OR	OFF	2007/03/30 09:24
L14	64	l13 and ((password\$3 passphrase\$1 PIN) ((user\$2 client\$1 person\$3) near3 (code\$1 pin password\$1 passphrase\$1)))	USPAT; IBM_TDB	OR	OFF	2007/03/30 08:55
L15	2212	(user-specif\$5 user-base\$1 ((user\$2 client\$1 person\$3) near3 (specif\$5 accord\$4 particular\$2 match\$3 bas\$2))) near6 (encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6)	USPAT; IBM_TDB	OR	OFF	2007/03/30 10:09

EAST Search History

L16	184	(generat\$4 creat\$4 compos\$4) near4 l15	USPAT; IBM_TDB	OR	OFF	2007/03/30 09:10
L17	123	l16 and ((password\$3 passphrase\$1 PIN) ((user\$2 client\$1 person\$3) near3 (code\$1 pin password\$1 passphrase\$1)))	USPAT; IBM_TDB	OR	OFF	2007/03/30 09:10
L18	52	l17 and hash\$3	USPAT; IBM_TDB	OR	OFF	2007/03/30 09:24
L19	33	l18 and l7	USPAT; IBM_TDB	OR	OFF	2007/03/30 08:55
L20	267	(generat\$4 creat\$4 compos\$4) with l15	USPAT; IBM_TDB	OR	OFF	2007/03/30 09:10
L21	48	l20 with ((password\$3 passphrase\$1 PIN) ((user\$2 client\$1 person\$3) near3 (code\$1 pin password\$1 passphrase\$1)))	USPAT; IBM_TDB	OR	OFF	2007/03/30 09:13
L22	50000	(component\$1 device\$1 unit\$1 processor\$1 microprocessor\$1 memory\$1 ram\$1 rom eeprom bus) near6 (encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6)	USPAT; IBM_TDB	OR	OFF	2007/03/30 09:31
L23	293	(user-specif5 user-base\$1 ((user\$2 client\$1 person\$3) near3 (specif\$5 accord\$4 particular\$2 match\$3 bas\$2))) near8 l22	USPAT; IBM_TDB	OR	OFF	2007/03/30 09:12
L24	27	l23 with ((password\$3 passphrase\$1 PIN) ((user\$2 client\$1 person\$3) near3 (code\$1 pin password\$1 passphrase\$1)))	USPAT; IBM_TDB	OR	OFF	2007/03/30 09:21
L25	31686	(component\$1 device\$1 unit\$1 processor\$1 microprocessor\$1 memory\$1 ram\$1 rom eeprom bus) near3 (encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6)	USPAT; IBM_TDB	OR	OFF	2007/03/30 09:35
L27	564	l25 near6 ((password\$3 passphrase\$1 PIN) ((user\$2 client\$1 person\$3) near3 (code\$1 pin password\$1 passphrase\$1)))	USPAT; IBM_TDB	OR	OFF	2007/03/30 09:35
L28	85	l27 and l15	USPAT; IBM_TDB	OR	OFF	2007/03/30 09:24
L29	70	l28 and l7	USPAT; IBM_TDB	OR	OFF	2007/03/30 09:24
L30	25	l29 and hash\$3	USPAT; IBM_TDB	OR	OFF	2007/03/30 09:24
L31	22	l29 and administrator\$1	USPAT; IBM_TDB	OR	OFF	2007/03/30 09:29

EAST Search History

L32	215643	(designat\$4 appoint\$1 particular\$1 preset pre-set determin\$6 predetermin\$6 pre-determin\$6 associat\$4) near7 (user-specif5 user-base\$1 (user\$2 client\$1 person\$3))	USPAT; IBM_TDB	OR	OFF	2007/03/30 09:34
L33	525	I32 near7 (((component\$1 device\$1 unit\$1 processor\$1 microprocessor\$1 memory\$1 ram\$1 rom eeprom bus) near6 (encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6)) encryptor\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/30 09:33
L34	178	(designat\$4 associat\$4) near7 I33	USPAT; IBM_TDB	OR	OFF	2007/03/30 09:34
L35	95	I34 and (password\$3 passphrase\$1 PIN)	USPAT; IBM_TDB	OR	OFF	2007/03/30 09:41
L36	12	I35 and ((component\$1) near3 (encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6))	USPAT; IBM_TDB	OR	OFF	2007/03/30 09:39
L37	18	(user-specif5 user-base\$1 ((user\$2 client\$1 person\$3) near3 (specif\$5 accord\$4 particular\$2 match\$3 bas\$2))) near8 ((component\$1) near3 (encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6))	USPAT; IBM_TDB	OR	OFF	2007/03/30 09:49
L38	8	I37 and (password\$3 passphrase\$1 PIN)	USPAT; IBM_TDB	OR	OFF	2007/03/30 09:45
L39	38	(user-specif5 user-base\$1 ((user\$2 client\$1 person\$3) near3 (specif\$5 accord\$4 particular\$2 match\$3 bas\$2))) with ((component\$1) near8 (encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6))	USPAT; IBM_TDB	OR	OFF	2007/03/30 09:45
L40	23	I39 and (password\$3 passphrase\$1 PIN)	USPAT; IBM_TDB	OR	OFF	2007/03/30 09:45
L41	1060	(user-specif5 user-base\$1 ((user\$2 client\$1 person\$3) near3 (specif\$5 accord\$4 particular\$2 match\$3 bas\$2))) with (encryptor\$1 ((component\$1 device unit\$1 processor\$1) near6 (authenticat\$4 authori\$8 certif\$9 encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6)))	USPAT; IBM_TDB	OR	OFF	2007/03/30 09:54
L42	1533	(password\$3 passphrase\$1 PIN) near5 (specif\$5 accord\$4 particular\$2 match\$3 bas\$2) near6 (encryptor\$1 authenticat\$4 authori\$8 certif\$9 encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6)	USPAT; IBM_TDB	OR	OFF	2007/03/30 10:06

EAST Search History

L43	10730	(specif\$5 accord\$4 particular\$2 match\$3 bas\$2 determin\$4 predetermin\$7 pre-determin\$8 preset\$3 pre-set\$3 appoint\$3 list\$1 version\$1) near5 (encryptor\$1 encrypt\$6 encipher\$9 cipher\$9 crypto cryptograph\$6)	USPAT; IBM_TDB	OR	OFF	2007/03/30 09:57
L44	155	l41 and l42	USPAT; IBM_TDB	OR	OFF	2007/03/30 09:57
L45	74	l43 and l44	USPAT; IBM_TDB	OR	OFF	2007/03/30 10:01
L46	606	(password\$3 passphrase\$1 PIN) near5 (specif\$5 accord\$4 particular\$2 match\$3 bas\$2) near6 (encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6)	USPAT; IBM_TDB	OR	OFF	2007/03/30 10:07
L47	530	(password\$3 passphrase\$1 PIN) near5 (generat\$4 creat\$4) near6 (encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6)	USPAT; IBM_TDB	OR	OFF	2007/03/30 10:11
L48	181	l46 and l47	USPAT; IBM_TDB	OR	OFF	2007/03/30 10:09
L49	4980	(user-specif5 user-base\$1 ((user\$2 client\$1 person\$3) near3 (specif\$5 accord\$4 particular\$2 match\$3 bas\$2))) near6 (privilege\$1 role\$1 association\$1 rule\$1 (access\$3 near2 control\$1) permission\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/30 10:19
L50	9	l48 and l49	USPAT; IBM_TDB	OR	OFF	2007/03/30 10:11
L51	130	(password\$3 passphrase\$1 PIN) near8 (generat\$4 creat\$4) near8 (encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6) near9 (version\$1 application\$1 program\$1 routine\$1 software\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/30 10:48
L53	6	l51 and l49	USPAT; IBM_TDB	OR	OFF	2007/03/30 10:12
L54	184	(user-specif5 user-base\$1 ((user\$2 client\$1 person\$3) near3 (specif\$5 accord\$4 particular\$2 match\$3 bas\$2))) near8 ((encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6) near4 (version\$1 application\$1 program\$1 routine\$1 software\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/30 10:22

EAST Search History

L55	7290	(user-specif5 user-base\$1 ((user\$2 client\$1 person\$3) near3 (specif\$5 accord\$4 particular\$2 match\$3 bas\$2))) near6 (password\$3 passphrase\$1 PIN privilege\$1 role\$1 association\$1 rule\$1 (access\$3 near2 control\$1) permission\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/30 10:44
L56	31	I54 and I55	USPAT; IBM_TDB	OR	OFF	2007/03/30 10:20
L57	1637	(list\$3 table\$1 database\$1) near8 ((encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6) near4 (version\$1 application\$1 program\$1 routine\$1 software\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/30 10:44
L58	5325	(generat\$4 creat\$4 determin\$7) near8 ((encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6) near4 (version\$1 application\$1 program\$1 routine\$1 software\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/30 11:16
L59	11	I55 near8 ((encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6) near4 (version\$1 application\$1 program\$1 routine\$1 software\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/30 10:46
L60	8100	(user-specif5 user-base\$1 ((user\$2 client\$1 person\$3) near3 (specif\$5 accord\$4 particular\$2 match\$3 bas\$2))) near9 (password\$3 passphrase\$1 PIN privilege\$1 role\$1 association\$1 rule\$1 (access\$3 near2 control\$1) permission\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/30 10:44
L61	13	I60 near8 ((encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6) near4 (version\$1 application\$1 program\$1 routine\$1 software\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/30 11:19
L62	411	I57 and I58	USPAT; IBM_TDB	OR	OFF	2007/03/30 10:46
L63	45	I60 and I62	USPAT; IBM_TDB	OR	OFF	2007/03/30 10:46
L64	37	(password\$3 passphrase\$1 PIN) and I63	USPAT; IBM_TDB	OR	OFF	2007/03/30 10:48

EAST Search History

L65	6252	((726/1) or (726/2) or (726/4) or (726/5) or (726/7) or (726/8) or (726/17) or (726/118) or (726/19) or (726/21) or (726/27) or (726/30) or (726/34) or (713/168) or (713/182) or (713/183) or (713/184) or (713/185) or (713/193) or (705/16) or (705/17) or (705/18) or (380/229) or (380/241) or (380/255) or (380/28) or (380/29)). CCLS.	USPAT; IBM_TDB	OR	OFF	2007/03/30 11:04
L66	543	l65 and l58	USPAT; IBM_TDB	OR	OFF	2007/03/30 11:07
L67	125	(password\$3 passphrase\$1 PIN) near8 l58	USPAT; IBM_TDB	OR	OFF	2007/03/30 11:07
L68	282	(password\$3 passphrase\$1 PIN) and l66	USPAT; IBM_TDB	OR	OFF	2007/03/30 11:08
L69	107	l60 and l66	USPAT; IBM_TDB	OR	OFF	2007/03/30 11:09
L70	4241	(password\$3 passphrase\$1 PIN) near9 (encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6)	USPAT; IBM_TDB	OR	OFF	2007/03/30 11:08
L71	80	l70 and l69	USPAT; IBM_TDB	OR	OFF	2007/03/30 11:09
L72	44	l71 and hash\$3	USPAT; IBM_TDB	OR	OFF	2007/03/30 11:09
L73	453	l65 and ((generat\$4 creat\$4 determin\$7) near5 ((encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6) near4 (version\$1 application\$1 program\$1 routine\$1 software\$1)))	USPAT; IBM_TDB	OR	OFF	2007/03/30 11:16
L74	1161	(password\$3 passphrase\$1 PIN) near8 (specif\$5 accord\$4 particular\$2 match\$3 bas\$2 determin\$4 predetermin\$7 pre-determin\$8 preset\$3 pre-set\$3 appoint\$3 list\$1 version\$1) near8 (encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6)	USPAT; IBM_TDB	OR	OFF	2007/03/30 11:21
L75	62	l73 and l74	USPAT; IBM_TDB	OR	OFF	2007/03/30 11:22
L76	40	l75 and hash\$4	USPAT; IBM_TDB	OR	OFF	2007/03/30 11:22